

LG-100 POLISH FINISH-USA  
MSDS LIQUID GLASS POLISH/FINISH  
LG100 LIQUID GLASS ENTERPRISES, INC  
LG POLYAMINOSILOXANE / POLISHING AGENTS / ALIPHATIC HYDROCARBONS

LG MATERIAL SAFETY DATA SHEET  
LG EFFECTIVE DATE: 01/01/06

LG SECTION 1 - PRODUCT AND COMPANY INFORMATION

LG PRODUCT NAME: POLYAMINOSILOXANE/ POLISHING AGENTS /  
LG ALIPHATIC HYDROCARBONS  
LG COMMON NAME: LIQUID GLASS POLISH/FINISH PART# 100, 16OZ  
LG PART# 101, Gallon  
LG MANUFACTURER'S NAME: LIQUID GLASS ENTERPRISES, INC  
LG PO BOX 1170  
LG TEANECK, NJ 07666  
LG EMERGENCY TELEPHONE NUMBERS: 1-201-387-6755  
LG 1-800-548-5307  
LG REVISION DATE 01/01/06

LG SECTION 2 - HAZARDOUS INGREDIENTS  
LG CAS NO. INGREDIENT % BY WT.  
LG 8052-41-3 ALIPHATIC HYDROCARBONS 10-12%

LG SECTION 3 - HAZARDS IDENTIFICATION

LG \*\*\*\*\*EMERGENCY OVERVIEW\*\*\*\*\*  
LG \* COMBUSTIBLE. CAUSES EYE IRRITATION. CREAMY BLUE SUBSTANCE  
LG \* WITH FRAGRANCE.  
LG \*\*\*\*\*  
LG CHRONIC CANCER INFORMATION: NO DATA  
LG TERATOLOGY (BIRTH DEFECT) INFORMATION: NO DATA  
LG REPRODUCTION INFORMATION: NO DATA AVAILABLE

LG SECTION 4 - FIRST AID MEASURES

LG EYES - MOVE INDIVIDUAL AWAY FROM EXPOSURE AND INTO FRESH AIR.  
LG FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.  
LG SEEK MEDICAL ATTENTION.  
LG SKIN - REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.  
LG SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.  
LG LAUNDRY CLOTHING BEFORE USE.  
LG INGESTION - DO NOT INDUCE VOMITING. THIS MATERIAL IS AN  
LG ASPIRATION HAZARD. IF INDIVIDUAL IS DROWSY OR  
LG UNCONSCIOUS, PLACE ON LEFT SIDE WITH HEAD DOWN.  
LG SEEK MEDICAL ATTENTION. IF POSSIBLE, DO NOT  
LG LEAVE INDIVIDUAL UNATTENDED.  
LG INHALATION - REMOVE TO FRESH AIR. IF NOT BREATHING GIVE  
LG ARTIFICIAL RESPIRATION. SEEK IMMEDIATE MEDICAL  
LG ATTENTION.

LG SECTION 5 - FIREFIGHTING MEASURES

LG FLAMMABLE PROPERTIES  
LG FLASH POINT : 108. LG F METHOD TCC  
LG COMBUSTIBLE. MATERIAL WILL READILY IGNITE AT  
LG AMBIENT TEMPERATURES. MAY TRAVEL CONSIDERABLE DISTANCE  
LG TO IGNITION SOURCE AND CAUSE FLASH FIRES OR EXPLOSIONS.  
LG FLAMMABLE LIMITS:  
LG LOWER FLAMMABLE LIMIT: NA  
LG UPPER FLAMMABLE LIMIT: NA  
LG AUTOIGNITION TEMPERATURE: 420.0 F  
LG HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON  
LG MONOXIDE, ALDEHYDES AND VARIOUS HYDROCARBONS.  
LG EXTINGUISHING MEDIA: REGULAR FOAM, CARBON DIOXIDE, AND  
LG DRY CHEMICAL.

LG-100 POLISH FINISH-USA

LG FIREFIGHTING INSTRUCTIONS: WATER CAN BE USED TO KEEP  
LG EXPOSED CONTAINERS COOL, TO PROTECT.  
LG FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT (FULL  
LG BUNKER GEAR) AND POSITIVE-PRESSURE SELF CONTAINED BREATHING  
LG APPARATUS.

LG =====  
LG SECTION 6 - ENVIRONMENTAL RELEASE MEASURES

LG SMALL SPILL: ABSORB SPILL USING VERMICULITE FLOOR ABSORBENT  
LG OR OTHER ABSORBENT MATERIAL.  
LG LARGE SPILL: PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE  
LG EXCLUDED FROM AREA OF SPILL UNTIL CLEAN UP  
LG HAS BEEN COMPLETED. STOP AT SPILL SOURCE  
LG PREVENT FROM SPREADING. IF RUNOFF OCCURS,  
LG NOTIFY AUTHORITIES AS REQUIRED. PUMP OR  
LG VACUUM TRANSFER SPILLED PRODUCT TO CLEAN  
LG CONTAINERS FOR RECOVERY. ABSORB  
LG UNRECOVERABLE PRODUCT. TRANSFER CONTAMINATED  
LG ABSORBENT, SOIL AND OTHER MATERIAL TO  
LG CONTAINERS FOR DISPOSAL. CLOSE CONTAINER  
LG TIGHTLY AND DISPOSE OF PROPERLY.

LG =====  
LG SECTION 7 - HANDLING AND STORAGE

LG HANDLING: CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS  
LG WHEN EMPTIED. SINCE EMPTIED CONTAINERS RETAIN  
LG PRODUCT RESIDUES, ALL HAZARD PRECAUTIONS GIVEN  
LG IN THE DATA SHEET SHOULD BE OBSERVED.  
LG STORAGE: STORE IN WELL VENTILATED AREA. KEEP AWAY FROM  
LG HEAT, SPARKS AND FLAMES. EMPTIED CONTAINERS  
LG MAY RETAIN PRODUCT RESIDUES. PRECAUTIONS APPLY  
LG TO EMPTIED CONTAINERS.

LG =====  
LG SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

LG ENGINEERING CONTROLS: USE ONLY WITH ADEQUATE VENTILATION.  
LG RESPIRATORY PROTECTION: WHEN RESPIRATORY PROTECTION IS  
LG REQUIRED, OR CONCENTRATIONS ARE UNKNOWN USE  
LG NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR  
LG EQUIPPED WITH ORGANIC VAPOR CARTRIDGES OR  
LG CANISTERS. FOR EMERGENCY AND OTHER CONDITIONS  
LG WHERE EXPOSURE LIMIT MAY BE GREATLY EXCEEDED,  
LG USE AN APPROVED POSITIVE PRESSURE SELF CONTAINED  
LG BREATHING APPARATUS OR POSITIVE PRESSURE AIRLINE  
LG WITH AUXILIARY SELF CONTAINED AIR SUPPLY.  
LG SKIN PROTECTION: FOR BRIEF CONTACT, NO PRECAUTIONS OTHER  
LG THAN CLEAN BODY-COVERING SHOULD BE NEEDED. USE  
LG IMPERVIOUS GLOVES SUCH AS NEOPRENE.  
LG EYE PROTECTION: USE CHEMICAL GOGGLES IN COMPLIANCE WITH  
LG OSHA REGULATIONS.

LG =====  
LG SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

LG BOILING POINT: 370.0 - 550.0 F @ 760 mmHg  
LG MELTING POINT: NO DATA  
LG VAPOR PRESSURE: <1.00 mmHg @ 77.0 F  
LG SOLUBILITY IN WATER: LESS THAN 0.01  
LG SPECIFIC GRAVITY: 0804 - 0815 @ 60.0 F  
LG pH: 8-9  
LG ODOR: SWEET  
LG APPEARANCE: BLUE

LG =====  
LG SECTION 10 - STABILITY AND REACTIVITY

LG CHEMICAL STABILITY: STABLE  
LG INCOMPATIBILITY: AVOID CONTACT WITH: CHLORINE,  
LG HYPOCHLORITE, AND STRONG OXIDIZING  
LG AGENTS.

LG-100 POLISH FINISH-USA

LG HAZARDOUS DECOMPOSITION PRODUCTS: NO DATA  
LG HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
=====

LG SECTION 11 - TOXICOLOGICAL INFORMATION  
LG NO DATA  
=====

LG SECTION 12- - ECOLOGICAL INFORMATION  
LG NO DATA  
=====

LG SECTION 13 - DISPOSAL CONSIDERATIONS  
LG WASTE MANAGEMENT INFORMATION: DISPOSE OF IN ACCORDANCE  
LG WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.  
=====

LG SECTION 14 -TRANSPORT INFORMATION  
LG DOT INFORMATION - 49 CFR 172.101  
LG DOT DESCRIPTION: (FOR GROUND NON BULK SHIPMENTS)  
LG NOT REGULATED  
LG CONTAINER/MODE: NON BULK  
LG NOS COMPONET: NA  
LG RQ (REPORTABEL QUANTITY) 49 CFR 172.101  
LG NOT APPLICABLE  
=====

LG SECTION 15 - REGULATORY INFORMATION  
LG US FEDERAL REGULATIONS:  
LG TSCA (TOXIC SUBSTANCES CONTROL ACT) STATUS  
LG TSCA (UNITED STATES) THE INTENTIONAL INGREDIENTS OF  
LG THIS PRODUCT ARE LISTED.  
LG CERCLA RQ - 40 CFR 302.4  
LG NONE LISTED  
LG SARA 302 COMPONENTS - 40 CFR 355 APPENDIX A  
LG NONE  
LG SECTION 311/312 HAZARD CLASS - 40 CFR 370.2  
LG IMMEDIATE(X) DELAYED(X) FIRE(X) REACTIVE( ) SUDDEN( )  
LG RELEASE OF PRESSURE  
LG SARA 313 COMPONENTS - 40 CFR 372.65  
LG NONE  
LG STATE AND LOCAL REGULATIONS  
LG CALIFORNIA PROPOSITION 65  
LG NONE  
=====

LG SECTION 16 - OTHER INFORMATION  
LG THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO  
LG WARRANTY, EXPRESS OR IMPLIED, IS MADE.  
=====